

# optimis II™

CATARACT AND  
GLAUCOMA **LASER**



1064 nm Nd:YAG Laser



# optimis II™

Quantel Medical's cutting edge laser technology has brought constant and multiple innovations to ophthalmologists worldwide since 1993.

Optimis II is a 1064nm Nd:YAG laser integrated into a premium diagnostic slit lamp.

Optimis II from Quantel Medical.

## Advanced YAG Laser Technology.

Optimis II integrates a YAG laser with diagnostic slit lamp offering a compact, all-in-one design. The Optimis II combines premium optics and a powerful laser cavity to provide optimum photodisruption for capsulotomy and iridotomy procedures.

### Diagnostic Slit Lamp

- Convergent Optical Path
- Optimized for viewing the anterior and posterior segment

### Advanced YAG Technology

- Highly efficient, powerful and reliable
- Precise two-point aiming system
- Adjustable posterior offset

### Advanced Design

- Integrated platform
- Compact footprint
- Combines with Quantel Medical Vitra 2 Green laser



# YAG Mode

The YAG mode delivers high-performance photodisruption for capsulotomy and peripheral iridotomy. The gaussian laser beam profile allows for precise delivery, only requiring minimum energy levels, which avoids side effects such as lens pitting.

Precise tissue targeting is achieved with the advanced two-point aiming beam, allowing for fast and accurate targeting of the capsule; and the adjustable offset feature, allowing for easy focus adjustment behind or at the point of disruption.


## Precise and Powerful



## Combo YAG/Multispot

### A Glaucoma, Cataract and Retina Laser in One

The Optimis II easily combines with Quantel Medical Vitra 2 laser (SingleSpot or MultiSpot).



# Optimis II™



## TECHNICAL SPECIFICATIONS

### Nd:YAG

Laser source:	Q-Switched Nd:YAG
Wavelength:	1064 nm
Energy levels:	0.5 mJ to 10 mJ (1 pulse)
Pulse duration:	4 ns
Spot Size:	10 µm (86.4% energy in diameter) 8 µm FWHM
Repetition rate:	Up to 1.5 Hz
Offset:	+30 µm, +100 µm, +200 µm
Pulse mode:	1, 2 and 3 pulses per shot
Aiming beam:	Red 650 nm, adjustable intensity
Slit Lamp Type:	CSO 980
Magnification:	3 positions: 10x, 16x, 25x
Cooling:	Air cooled
Size (laser only):	67 (H) x 41 (W) x 50 (D) cm 24.4" (H) x 16.1" (W) x 19.7" (D)
Weight (laser only):	24.6 kg 54.3 lbs
Power requirements:	100 – 240 VAC, 50/60 Hz

### AVAILABLE MODELS

Optimis II  
Optimis II and Vitra 2 SingleSpot laser platform  
Optimis II and Vitra 2 Multispot laser platform

*Specifications are subject to change without notice.*

© 2019, Quantel Medical, Optimis II is a registered trademark of Quantel Medical. All rights reserved.

[www.quantel-medical.com](http://www.quantel-medical.com)

Designed and Manufactured by **Quantel Medical** in France



**Headquarters**  
Quantel Medical  
11, rue du Bois Joli - CS40015  
63808 Cournon d'Avvergne – FRANCE  
Tel: +33 (0)4 73 745 745  
Email: [contact@quantel-medical.fr](mailto:contact@quantel-medical.fr)

**North America**  
Quantel Medical USA  
2313 Ridge Road Suite 105A  
Rockwall, TX 75087 – USA  
Tel. +1 888-660-6726  
Email: [info@quantelmedical.com](mailto:info@quantelmedical.com)

**Poland**  
Quantel Medical  
ul. Racławicka 93  
02-634 Warszawa  
Tel: +48 22 5210111  
Email: [info@quantel-medical.pl](mailto:info@quantel-medical.pl)

**Representative Offices**  
Thailand, Chiang Mai  
Brazil, Rio De Janeiro